

**GPAT - 2017** 


www.gdc4gpat.com


# **QUESTIONS PAPER**


- 1. In a free radical reaction, free radicals are formed at
  - (a) Initiation step

- (b) Propagation step
- (c) Termination step
- (d) Both (a) and (b)
- 2. Which of the following dienes can undergo Diels-Alder reaction most readily









- 3. Separating techniques such as gas chromatography and liquid chromatography are not appropriate for separation of amino acids. Select correct reason from the following
  - (a) Amino acids high polarity substances DISCUSSION
  - (b) Amino acids are low polarity substances  $\ E\ N\ T\ E\ R$
  - (c) Amino acids are non polar substances
  - (d) Amino acids lowly charges substances
- 4. When trans-2-butene is treated with bromine an anti-addition of bromine yields meso- 2,3- dibromobutane. Select the correct statement regarding the reaction from the following
  - (a) The reaction is stereoselective as well as stereo specific
  - (b) The reaction is stereoselective and not stereo specific
  - (c) The reaction is nonstereoselective as well as non stereo specific
  - (d) The reaction is stereo specific and not stereo selection  $\ \ \,$
- 5. Reduction of imines to give amines in protic solvents can be carried out by one of the following reagents. Select the correct reagent
  - (a) Sodium hydride
  - (b) Sodium chloride and HCl
  - (c) Lithium aluminium chloride
  - (d) Sodium cyanoborohydride

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com



## www.gdc4gpat.com

**GPAT - 2017** 

6. In the reaction of 2-nitrotoluene with bromine in presence of iron, which of the product shownbelow is the most abundant (major) product

7. Which of the following cannot react as a nucleophile

(a)  $(CH_{3})_{4}N^{+}$ 

(b) CH<sub>3</sub>NH<sub>2</sub>

(c)  $(CH_3)_2NH$ 

(d)  $(CH_3)_3N$ 

8. Which of the following compounds will be exidized by  $\text{CrO}_3$  in acid

(a)4-Methylcyclohexene

- (b) 3-Methyl 3-hydroxyclohexanone
- (c) 4,4-Dimethyl-1-methyl-1,3-cyclohexandiol
- (d) 2-Methylcyclohexanone

9. Which of the following compounds absorbs at the longest wavelength

(a) 1,3,5-Hexatriene

- (b) 1,3,5,7-Octatetraene
- (c) 1,7-Diphenyl-1,3,5-heptatriene
- (d) 1,6-Diphenyl-1,3,5-heptatriene

10. Which of the following reagents will reduce a disubstituted alkyne to trans-alkene

(a) Na and NH<sub>3</sub>

(b) LiAlH<sub>4</sub>

(c)  $B_2H_6$ 

(d) Pd and H<sub>2</sub>

11. Which of the following statement is true about following reaction

$$H_3CO$$
 $OH-, S_2N$ 
 $OH-$ 

- (a) The product will not have a stereo center
- (b) The product will have R configuration
- (c) The product will not have S configuration
- (d) The reaction will happen with racemisation

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com

Join All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India. Question



## www.gdc4gpat.com

**GPAT - 2017** 

12. Which functional group is present in the molecule shown below



(a) Amide

- (b) Alcohol
- (c) Ester
- (d) Ether

13. Match the following agents that cause cancer with the preferable sites for where it might cause

- 1. Arsenic
- 2. Benzene
- 3. Cadmium Compounds
- 4. Vinyl chloride
- (a) 1 d; 2 c; 3 a; 4 -b
- (c) 1 c; 2 d; 3 b;4 a

- (a) Prostate
- (b) Angiosarcoma
- (c) Leukemia
- (d) Hemangiosarcoma
- (b) 1 b; 2 a; 3 c; 4- d
- (d) 1 a; 2 b; 3 -d; 4 c

14. If the pKa of lidocaine is 7.9 and pH of the infected tissue is 8.9, the fraction of drug in the ionized form

will be

(a) 10%

- (b) 1%
- (c) 90%
- (d) 99%

15. Which among the following are the salient features of Glucocorticoids

- (a) Gets combined with highly specific cytosolic glucocorticoids
- (b) They promote phagocytosis by macrophages
- (c) Releases of lytic enzymes
- (d) Increases lipid eicosanoids and prostaglandin gene

16. The most commonly used test of sensitivity to antimicrobial agent is

(a) Kirby-Bauer techniques

(b) Immunodiffusion techniques

(c) Qudin procedure

(d) Ouchter- Ion procedure

17. Bulk product is defined as

- (a) Product completing all processing stages but not necessarily final packing
- (b) A product ready for final dispatch
- (c) Raw material used for making final dosage form
- (d) A defined quantity of raw material from the same batch

18. Product,.....and Promotion are four 'P's of marketing

(a) Price and Place

(b) Place

(c) Process

(d) Production, Process, Price, Production



## www.gdc4gpat.com

**GPAT - 2017** 

19. Insulin and thyroxin arrive at an organ / tissue / cell at the same time. Thyroxine causes an effect on the organ but insulin does not because

- (a) The organ cell have receptors for thyroxine but not for insulin
- (b) Thyroxin is a lipid -soluble hormone and insulin
- (c) The target cell in the organ have up-regulated for
- (d) Thyroxin is local hormone and insulin is a circula

20. Which among the following is an incorrect statement with regard to the drug Dantrolene

(a) It is a pyrazoline derivative

- (b) It is an imidazoline analogue
- (c)It is a nitrophenylfurfurylidene derivative
- (d)It is a skeletal muscle relaxant

21. Diazepam is not suitable for peroral sustained release form since

- (a) Is not absorbed in lower intestine
- (b) It has biological half life greater than twelve effects hour
- (c) It has biological half life less than one hour
- (d) It has undesirable side effects

22. Antioxidant used as blocking agent in sterile product is

(a) Ascorbic acid esters

(b) Sodium bisulphate

(c) Ascorbic acid

T(d) EDTASSION

23. Many mediators have been implicated in the asthmatic response. The clinical efficacyof pharmacologic intervention with inhibitors or antagonist of the mediators involves following category - except

- (a) Platelet activating factors
- (b) Anticholinergics

(c) Antihistaminics

(d) Cytokine inhibitors

24. Match the following adrenergic drugs with their receptor affinity

(1) Epinephrine

(a) More alpha 1, no beta 1, beta 2 & dopamine

(2) Noradreanline

(b) More alpha 1 & beta 1, less beta 2, no dopamine

(3) Phenylephrine

(c) More beta 1 & Beta 2, no alpha 1 and dopamine

(4) Dobutamine

(d) More alpha 1 & beta 1, no beta 2 & dopamine

(a) a - 2; b - 4; c - 1; d -3

(b) a - 1: b - 3: c - 4: d- 2

(c) a - 3; b - 1; c - 2; d - 4

(d) a - 4; b - 2; c -3; d - 1

25. If the drug substance has been substituted wholly or in part by another drug or substance, it is called as

- (a) Spurious drug (b) Adulterated drug (c) Misbranded drug
- (d) Mixed drug

26. One of the principle upon which HPLC detector functions is

- (a) Redox property of solute is the basis for functioning of Electrochemical detectors
- (b) Fluorimetric detector has high selectivity and low sensitivity

Ioin All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India. Ouestion



## www.gdc4gpat.com



- (c) Small difference in Refractive Index of mobile phase permit precise measurements in Refractive index detectors
- (d) UV detector function based on its ability to detector
- 27. Methanolic extract of a crude drug powder when treated with magensium turnings and concentrated hydrochloric acid turned the solution magenta coloured. The test is termed as
  - (a) Shinodatest
- (b) Van Urk's Test
- (c) Keller Killiani test
- (d) Vitali Morin Test
- 28. Etoposide and Teniposide are the semisynthetic derivatives of
  - (a) Myrrhabolic acid
- (b) Podophyllotoxin
- (c) Abietic acid
- (d) Umbelliferone
- 29. The thymus secretes several hormones related to the immunity. These hormones promote the maturation of T lymphocyte cells. These hormones are
  - 1. Thymosin
  - 2. Thymichumoral factor
  - 3. Thymic factor
  - 4. Interleukins
  - (a) Only 1, 2
- (b) 1, 2 and 3

(c) Sonly 3 S [ (d) Only 4

- 30. For the measurement of particle size of powders, the distance measured between two tangents on opposite sides of the particle parallel to some fixed direction is called
  - (a) Feret diameter
- (b) Martin diameter
- (c) Projected area diameter
- (d) Edmundson diameter
- 31. Beta oxidation of fatty acids takes place in
  - (a) Mitochondria

(b) Cytoplasm

(c) Nucleus

- (d) Choroplast
- 32. Which of the following genera is not the source for tropane alkaloids
  - (a) Datura

(b) Duboisia

(c) Nicotiana

- (d) Atropa
- 33. The useful variable from in vitro dissolution test data for IVIVC includes
  - (a) t50 % t63.2

- (b) Sampling interval
- (c) Sample volume
- (d) Volume of dissolution fluid
- 34. In respect of female reproductive cycle, which of the following statements are correct
  - 1. The female reproductive cycle consists of menstrual phase, a pre-ovulatory phase, ovulation and a post ovulatory phase

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com

PRIVIOUS YEAR PAPER

Join All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India. Question papers are designed by the expert faculties. It may helps you in focusing your Exam preparation.



## www.gdc4gpat.com



2. During the menstrual phase, small secondary follicles in the ovary begin to enlargewhile the uterus is shedding its lining

3. During the pre-ovulatory phase, a dominant follicle continues to grow and begins to secret estrogen and inhibin while the uterine lining begins to rebuild

4. Ovulation results in the release of an ovum and the shedding of the uterus lining tonourish and support the release ovum

5. After ovulation, a corpus luteum forms the ruptured follicles and begins to secreteprogesterone and estrogen, which it will continue to do throughout pregnancy if the eggis fertilized

6. If pregnancy does not occur, then the corpus luteum degenerates into a scar known as corpus albicans and uterine lining is prepared to be shed again

(a) 1, 2, 3 and 6

(b) 2, 3, 4and 6

(c) 1, 2, 4 and 5

(d) 1, 4, 5 and 6

35. Apparent volume of distribution will be highest in case of the drug with % plasmaprotein binding

(a) 10

(b) 89

(c) 50

(d) 68

36. To rule out the probability of dose dumping from an oral CR dosage form, USP hasincluded which sampling time point for in vitro dissolution test where D is normal dosing interval

(a) 0.50D

(b) 0.25D

(c) 50-1.0

(d) 1.0-2.0D

37. Which of the following statement regarding cerebral hemisphere is true

(a) The right and left hemisphere are symmetrical

(b) This right more important for spoken and written language

(c) The left hemisphere is more important for musical and artistic awareness

(d) Hemispheric lateralization is more pronounced in male than in female

38. Which among the following is a Class-I method, used for rendering a solution of drug isotonic with body fluids

(a) Cryoscopic method

(b) White-Vincent method

(c) Sprowlsmethod

(d) Hammarlund method

39. (Weight in pounds / 150) \* Adult Dose = Child dose. The above formula is known as \_\_\_\_\_ in Posology

(a) Youngs formula

(b) Dillings formula

(c) Clarkes formula

(d) Frieds formula

40. The type of particle diameter obtained by microscopic method of evaluation is

papers are designed by the expert faculties. It may helps you in focusing your Exam preparation.

(a) Projected diameter

(b) Surface -volume diameter

(c) Volume - surface diameter

(d) Stokes diameter

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com

PRIVIOUS YEAR PAPER

Ioin All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India. Ouestion



## www.gdc4gpat.com

**GPAT - 2017** 

41.	V	lap	ha	$z_0$	lin	e
11.		ıαp	ma	LU.	1111	·

- (a) Is used for relief of nasal congestion
- (b) Exhibits peripheral beta-adrenoceptor stimulant
- (c) Is a pyrazolinederivative
- (d) Chemically, is 1H Imidazole, 3,4 -dihydro- 2 -(3-naphthylmethyl) monohydrochloride
- 42. A patient receiving warfarin develops rheumatoid arthritis. Which one of the following drugs would be Contraindicated
  - (a) Ibuprofen
- (b) Tolmetin
- (c) Aurothioglucose
- (d) Aspirin
- 43. A crude drug powder was heated with ferric chloride, water and concentrated hydrochloric acid followed by extraction with chloroform. The chloroform layer was treated with ammonia, the ammonical layer turned pink. The test indicates presence of\_\_\_\_\_ phytoconstitutent
  - (a) Anthraquinone-C-glycosides
- (b) Flavanones

(c) Cardiac glycosides

- (d) Saponin glycosides
- 44. The first vaccine was discovered by
  - (a) DeBary
- (b) Paul Ehrlich
- (c) Robert Koch
- (d) Edward Jenner
- 45. Type IV dissolution apparatus as per USP is ISCUSSION
  - (a) Flow through cell
- (b) Paddle type apparatus R
- (c) Reciprocating cylinder
- (d) Paddle over dsk apparatus
- 46. Hoeppler viscometer is a type of
  - (a) Falling sphere viscometer
- (b) Capillary viscometer
- (c) Cup and Bob viscometer
- (d) Cone and plate viscometer
- 47. Following are the list of various inherited metabolic disorders that can affect functioning of liver
  - Primary biliary cirrhosis a.
  - Glycogen storage disease
  - c. Gilbert's syndrome
  - Haemochromatosis
  - e. Wilson's disease
  - (a) a, b, c, d
- (b) b, c, d, e
- (c) a, c, d, e
- (d) a. b. d. e
- 48. In relation to buccal and sublingual route of administration which of the following statement is incorrect
  - (a) Absorption through epithelium is not affected by partition coefficient of the Drug
  - (b) Drug absorption by these routes by pass first pass metabolism
  - (c) There is an optimum log P for sublingual absorption

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com

Ioin All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India. Question



# www.gdc4gpat.com

**GPAT - 2017** 

	(d) These are preferred routes for anti-anginal drug
49.	Which among the following statements describing surface activity for surfactants is incorrect
	(a) Increase in length of hydrocarbon chain decreases surface activity
	(b) Increase in ethylene oxide chain of polyoxy ethyl alcohol Increase in surface activity
	(c) Increase in surface activity results in decrease length of hydrocarbon chain
	(d) Relationship between hydrocarbon chain length andhydrphobicity
50.	Surface tension is categorized as a/an factor
	(a) Capacity (b) Intensive (c) Extensive (d) Tolerance
51.	Which of the following gums is obtained from endosperm
	(a) Guar gum (b) Acacia gum (c) Tragacanth gum (d) Sterculia gum
52.	High lightening differences among brands within the same product category is
	(a) Product brand (b) Brand launch (c) Product differentiation (d) Branding
53.	Hot stage microscopy is an important tool in preformulation studies for the study of
	(a) Pseudopolymorphism (b) Paricle size measurement
	(c) Microbial contamination (d) Compaction behaviour
54.	In Bismuth subgallate suppositories B.R.C, when no strength of the drug is specified, B.P.C directs
	bismuth subgallate per suppository DISCUSSION
	(a) 300 mg (b) 200 mg (c) $100 \text{ mgT} \to \mathbb{R}$ (d) 400 mg
55.	The Michaehis-Menten hypothesis
	(a) Postulates the formation of an enzymesubstrate complex
	(b) Enables us to calculate the isoelectric point of an enzyme
	(c) States that the rate of a chemical reaction maybe independent of substrate concentration
	(d) States that the reaction rate is proportional tosubstrate concentration
56.	The largest gene in human is
	(a) Dystrophin (b) Titin (c) Insulin (d) Phosphofructokinase
57.	Which of the following techniques is not useful to detect polymorphs
	(a) DSC (b) HPLC (c) PXRD (d) Melting point determination
58.	Which of the following constituents is responsible for colour of shellac
	(a) Shelloic acid (b) Laccaic acid (c) Aleurotic acid (d) All of the above
59.	Match the following drugs with alteration they produces in structural-functional of kidney
	(1) Aminoglycoside Anitibiotics (A) Glomerular abnormality
	(2) ACE inhibitors (B) Tubalar epithelial cell Demage

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com



**GPAT - 2017** 

## www.gdc4gpat.com

(3) Methotrxate

(C) Hemodynamic Mediated kidney injury

(4) NSAIDs

- (D) Obstructure nephrophathy
- (a) 1 B; 2 -C; 3 D; 4 -A
- (b) 1 A; 2-B; 3 C; 4- D
- (c) 1 C; 2-D; 3 A; 4- B
- (d) 1 D; 2-A; 3 B; 4- C
- 60. Hixon Crowell's cube root law of dissolution states that
  - (a) There is a change in particle size and surface area during dissolution of drug
  - (b) Dissolution process is controlled by diffusion of molecules/ions
  - (c) High free energy of activation is required for solution
  - (d) Renewal of surface fluid layer around drug particle
- 61. All of the following statements regarding estrogen therapy in postmenopausal women are true EXCEPT
  - (a) It restores the loss of bone mass due to osteoporosis
  - (b) It may be useful to treat vasomotor symptoms
  - (c) Administration in a regimen including a progestin
  - (d) It is useful in the treatment of atrophic vaginities
- 62. Chapter IV of which law states that experiments on animals are avoided wherever it is possible to do so; as for example; in medical schools, hospitals, colleges and the like, if other teaching devices such as books, models, films and the like, may equally suffice. Also, that experiments on larger animals are avoided when it is possible to achieve the same results by experiments upon small laboratory animals like guinea- pigs, rabbits, frogs and rats
  - (a) The prevention of cruelty to animal act,1960
  - (b) The Pharmacy Act, 1948
  - (c) Drugs and Cosmetics Act, 1940
  - (d) Medicinal and Toilet Preparations Act, 1955
- 63. Which among the following rules about spin spin coupling and bond multiplicities are correct with regard to NMR spectra
  - (a) Coupling constant rarely exceeds 20 cps whilechemical shifts are over 1000 cps
  - (b) Spin Spin interactions are dependent of strength of the applied field
  - (c) Coupling constants increase with distance
  - (d) Equivalent nuclei interact with each other to show interaction
- 64. Most accepted mechanism for developing bacterial resistance to sulphonamides is
  - (a) An alternative metabolic pathway for synthesis of essential
  - (b) An increasing capacity to metabolize the drug

Ioin All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India. Question



## www.gdc4gpat.com

	CENTER	WW.Bate 18 Paterto 111	
	(c) Increased antagonism of drug		
	(d) An alteration in enzyme that utilizes PAE	BA	
65.	All the dopaminergic agonists having aff	finity for D2 receptor	rs are clinically used in following
	conditions except		
	(a) Obsessive-compulsive disorder		
	(b) Hyperprolactinemia		
	(c) Acromegaly		
	(d) Parkinsonism		
66.	The labelling instruction "To be diluted 20 tin	nes its volume with wat	er" indicates the dispensed
	product is a		
	(a) Mixture (b) Elixir	(c) Linctus	(d) Mouthwash
67.	Which among the following is a structural va	riant of GABA and is us	ed as a muscle relaxant
	(a) Metocurine (b) Tybamate	(c) Baclofen	(d) Cyclobenzaprine
68.	A steroidal phyto constituent lowering blood	sugar is obtained from	
	(a) Momordica charantia	(b) Quillaja sapona	ria
	(c) Dioscorea deltoidea	(d) Glycyrrhiza glai	bra
69.	Which of the following drug is associated will	h the reaction of extrer	ne photosensitivity
	(a) Niacin (b) Digitalis	(c) Tetracycline	(d) Fluoroquinolones
70.	Which among the following statements relate	ed to Ceric sulphate as o	oxidizing agent, as titrant are correct
	(a) Ce (IV) during reaction exists as an anion	nic complex in media of	sulphuric acid
	(b) Ionic equation is $Ce^{3+} \rightarrow Ce^{2+} + e^{-}$		
	(c) Formal potential of Ce(III) Ce (II) couple	is 1	
	(d) Ce (IV) does not permit use of HCl as red	ducing media	
71.	A labeled piece of DNA that is complementary	to the sequence of DN	A you are interested in, say the gene
	you are trying to put into cells, is called as		
	(a) A probe (b) A receptor	(c) A epitope	(d) A target
72.	As per first schedule of Drugs and Cosmetics A	Act ,1940, following is n	ame of the book under Siddha system
	of medicine		
	(a) Arka Prakasha (b) Yog Ratnakar	(c) Nagamuni	(d) Vrinda Chikitsa
73.	Amantidine is helpful in Parkinson's disease	because	
	(a) It liberates dopamine from nerve ending	gs (b) It decreases ch	olinergic activity
	(c) It is metabolized into donamine	(d) It increases ad	renergic activity



## www.gdc4gpat.com

	TO BIN I E K										
74.	An intermediate 3- Chloroaniline 4, 6 - disulphonamide on heating with formic acid yields a compound										
	(a) 6 chloro 2H -1,2,4benzothiadiazine 7 sulphonamide										
	(b) 3 chloro-2H 1,2,4- benzothiadiazine 7 sulphonamide										
	(c) Used in treatment of urinary tract infections										
	(d) Used as antibacterial										
75.	Acetyl Choline is hydrolyzed by enzyme										
	(a) Acetylase (b) Cholinase (c) Acetylcholinesterase (d) Transferase										
76.	Rubella virus is associated with disease										
	(a) Progressive encephalitis (b) Enterovirus infection										
	(c) Yellow fever (d) Brucellosis										
77.	Which among the following electronic systems are not involved in the origin of UV spectrum										
	(a) s and p shell electrons (b) sigma and pi electrons										
	(c) Charge transfer electrons (d) d and f shell electrons										
78.	Which of the following is not a thermoplastic resin										
	(a) Phenolic plastic resin (b) Polystyrene										
	(c) Polyethylene (d) Polypropylene										
79.	Choose the right combination from the following CUSSION										
	(1) Diacytic stomata and sessile Trichome $\mathbb{C} \to \mathbb{N} \to \mathbb{T} \to \mathbb{C}$ Datuar										
	(2) Paracytic stomata and Unicellular and multi cellular (B) Vasaka										
	(3) Anomocytic stomata and Unicellular and multi cellular (C) Senna										
	Trichome										
	(4) Anisocytic stomata and Multicellular covering trichome (D) Digitalis										
	(a) 1-B, 2-C, 3-D, 4-A (b) 1-C, 2-D, 3-A, 4-B										
	(c) 1-A, 2-D, 3-B, 4-C (d) 1-D, 2-B, 3-A, 4-C										
80.	Pharmaceutical alternatives possess										
	(a) Indentical therapeutic moiety/precursor but not in the same amount/dosage form										
	(b) Same amount of therapeutic moiety										
	(c) Same dosage form										
	(d) Same formulation ingredients in exactly same amount of dose										
81.	Topical application of timolol to the eye would be expected to induce which of the following										
	(a) Decreased formation of aqueous humor (b) Miosis										
	(c) Mydriasis (d) Increased outflow of aqueous humor										



# www.gdc4gpat.com

82.	82. The major component of liquid glucose isand is prepared from	
	(a) Maltose, Pectin (b) Dextrin, Starch (c) Dextrose, Starch (d) Glucose, Star	ch
83.	83. Which of the following formulations under ASU system are offered infinite period of shelf	life in D and
	C Act	
	(a) Asava&Arishta (b) Churna (c) Ghutika (d) Kwatha	
84.	84. Which of the following is an example of hemiesters anionic surfactant for pharmaceutrical e	mulsions
	(a) Sulfosuccinates (b) Sarcosinates (c) Taurates (d) Lactylates	
85.		are in which
	part of the process  (a) The initiation of synthesis  (b) The chain elongation process	
	<ul><li>(a) The initiation of synthesis</li><li>(b) The chain elongation process</li><li>(c) The chain termination process</li><li>(d) None of the above</li></ul>	
86.	•	an enzyme
	(a) DNA polymerase (b) DNA ligase	
	(c) Restriction endonuclease (d) Reverse transcriptase	
87.		
	(a) Protein + aglycone (b) Sugar + Protein	
	(c) Sugar + aglycone (d) Fats + aglycone	
88.	88. Which of the following dosage form of digoxin will provide greater bioavailability based onv	alue of F
	(a) F equals 1.0 (b) F equals 0.32 (c) F equals 0.62 R (d) F equals 0.77	
89.		-
	hemopoiesis the stem cells are converted in to myeloid stem cell and subsequently differenti	
	developed into precursor cells. Match the following precursor cells with the formed elements	nts of blood
	from which they are formed.	
	(1) Reticulocyte (A) Platelets	
	(2) Megakaryoblast (B) Macrophages	
	(3) Myeloblast (C) Erythrocytes	
	(4) Monoblast (D) Neutrophils	
	(a) 1-C, 2-A, 3-D, 4-B (b) 1-A, 2-C, 3-B, 4-D	
00	(c) 1-B, 2-D, 3-C, 4-A (d) 1-D, 2-B, 3-A, 4-C	
90.	· · · · · · · · · · · · · · · · · · ·	
01	(a) 200 mg (b) 100 mg (c) 400 mg (d) 800 mg	
91.	· · · · · · · · · · · · · · · · · · ·	
	(a) Measures conductance between two electrodes with AC powered Wheatstone bridge	
	(b) Polarography involves plotting of conductance – voltage	
V	Visit - www.gdconlinetest.in   Attempt 1 Free Demo Test   Email : gdcgpat037@gmail.com	Privious



## www.gdc4gpat.com

**GPAT - 2017** 

(	(c)	Potentiometry	involves	application	of Ilkoviced	uation
١	. ~ ,	i occircionica y	111 / 01 / 05	application	OI IIIIO VICCO	laacioii

(d) Coulometry involving application of Nernst law relating equivalence between quantity of electricity passed and amount of compound generated at electrodes

92. Chemical interferences are common than spectral interference
--

- (a) Formation of compounds of low volatility
- (b) Ionization in flames
- (c) Increase in rate of atomization
- (d) No shift in ionization equilibrium

#### 93. Phase 0 studies means

- (a) In vitro studies
- (b) Part of phase I studies of clinical trials
- (c) First in human microdosing studies
- (d) Studies carried out on small number of animals

#### 94. Condensation product of Ethyl isopentyl ester of diethyl malonic acid with urea and sodium ethoxide yields

(a) Amylobarbitone

(b) Phenobarbitone

(c) Pentobarbitone

(d) Quinobarbitone

#### 95. Clavulanic acid is

- (a) Inactivates bacterial lactamase
- (b) Protien inhibitor of peptidoglycan synthesis
- (c) Specific for gram negative bacteria (d) Inhibitor of 50S ribosomal subunit

## 96. The method by which different constituents of a liquid mixture can be separated without decomposition of the constituents is

- (a) Distillation under reduced pressure
- (b) Molecular distillation

(c) Steam distillation

(d) Fractional distillation

#### 97. The preferred rheological behavior of Pharmaceutical suspensions is that of

- (a) Pseudoplasticity and thixotrophy
- (b) Pseudoplasticity
- (c) Dilatancy and thixotrophy
- (d) Pseudoplasticity and rheopexy,

#### 98. An inventory turnover of ......... a year is considered satisfactory

(a) Four to six times, Six

(b) To eight times

(c) One to two times

(d) None of the above

#### 99. The number of glucopyranose units in the structure of alpha cyclodextrins are

- (a) 8
- (b) 9
- (c)7
- (d) 6

#### 100. The compound 2 - (Diethylamino) ethyl [bicyclohexyl] - 1-carboxylate hydrochloride is

(a) Dicycloverine

- (b) Diphenhydramine
- (c) Both nicotinic and specific antispasmodic,
- (d) Diagonistic agent for diagnosis of thyroid gland,

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com

Join All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India, Question



# gdc4gnat com

# www.gdc4gpat.com

101.	In n	ew product developme	ent process, af	ter a	analysis	of business ne	ext step to be	taken is
	(a)	Test marketing	(b)	Pene	etration	marketing		
	(c)	Brand marketing	(d)	Indi	vidual m	narketing		
102.	Whi	ich of the following all	caloid (form) i	s use	ed to tre	at migrane		
	(a)	VInca (b)	Coca		(c) Ergo	ot	(d) Belladonr	na
103.	Free	e flowing powders sho	w a flatter cor	ne ar	nd have			
	(a)	Smaller angle of repo	se	(b)	Larger	angle of repos	e,	
	(c)	Intermediate angle of	repose	(d)	None of	f the above,		
104.	The	WIPO is the specialize	ed agency of t	he U	nited Na	ations. It prom	otes protection	on ofthroghout the
	wor	·ld						
	(a)	Intellectual properties	3	(b)	World p	properties		
	(c)	Pharmaceutical organ	nizations	(d)	Finace	companies		
105.	Her	pesviruses are large	encapsulated	vir	uses th	at have double	e stranded D	NA genome thatencodes
	app	roximately 70 protein	s. It causes act	ute ii	nfection	followed by la	tent infection	in which virus persist in
	non	infectious form with p	eriodic reactiv	atio	n and sh	nedding of infed	ctious virus. F	ollowing are the examples
	of s	uch herpesvirus –exce	ept \			<u> </u>		
	(a)	Epstein-Barr Virus		(b)	Herpes	simplex N		
	(c)	Varicella Zoster	V	(d)(	Cytome	galovirus R		
106.	A fa	tty acid not synthesize	ed in human b	ody a	and has	to be supplied	l in diet is	
	(a)	Stearic acid	(b) Oleic acid	i	(c)	Palmitic acid		(d) linolenic acid
107.	Che	mical class of drugs th	at are suscept	ible	to oxida	tion are		
	(a)	Esters	(b) Lactam		(c)	Sterols		(d) Carbamates
108.	The	only analgesic acting	_					
	(a)	Methadone	(b) Naloxane		(c)	Tramadol		(d) Naloxane
109.	Neu	ropathy is adverse eff	ect of					
	. ,	Isoniazid	(b) Ethambut			Pyrazinamide		(d) Dapsone
110.	As p	oer I.P. if the solubility	range of a solu	ite is	s 30 to 1	.00 parts, it wi	ll be	
	(a)	Soluble	(b) Freely so	luble	(c)	Sparingly solu	ble	(d) Slightly soluble
111.	SDS	is used in PAGE of a m	ixture of prote	ins f	or their	efficient separ	ation on the g	gel. SDS, in the experiment
	is u	sed to						
	(a)	Have uniform charge	density on the	e pro	oteins	(b) Stabilize t	the proteins	
	(c)	Decrease the surface	tension of bu	ffer		(d) Solubilize	the proteins	

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com



## www.gdc4gpat.com

**GPAT - 2017** 

#### 112. Indicate which of the following statements is true

- (a) A weakly acidic drug is unionised when pH of the solution is at last 2 pH units below its pKa
- (b) Acidic drugs are noninonized at pH 9
- (c) Acidic drugs are less soluble in alkaline solution
- (d) The higher the pKaof a weak acid, the stronger is acid

#### 113. Dissemination of cancer occurs through one of the following pathway - except

- (a) Migration
- (b) Direct seeding
- (c) Lymphatic spread
- (d) Hematogenous spread

#### 114. Which of the following alkaloids has hypotensive activity

- (a) Emetine
- (b) Quinine
- (c) Reserpine
- (d) Papaverine

#### 115. Which of the following is a characteristic of cytochrome P-450

- (a) Catalyzes aromatic and aliphatic hydroxylations
- (b) Located in the lipophilic environment of mitochondrial membrane
- (c) Catalyzes O-, S-, N methylation reactions
- (d) Catalyzes conjugation reactions

#### 116. The Michalis-Menten equation for standard for saturated active transport system is-

(a) 
$$V_{\text{max}} = k_{\text{cat}}[E_0]$$

(b) 
$$V_{\text{max}} = k_{\text{m}}$$

(b) 
$$V_{\text{max}} = k_{\text{m}}$$
 (c)  $V_{\text{max}} = k_{\text{m}}[S]$ 

#### 117. Which among the following describe the characteristic features of Tetracyline

- (a) Undergoes epimerization in solutions having intermediate pH range
- (b) Forms Anhydroustetracycline in presence of acidic
- (c) Forms Minocycline in basic medium
- (d) Forms stable chelate complexes with potassium ions

#### 118. Cells that contribute for immune system are

- 1. T Lymphocytes
- 2. Eosinophil
- 3. B Lymphocytes
- 4. Dendritic cells
- 5. Erythrocytes
- 6. Natural killer cells
- (a) 1, 3, 4 and 6

(b) 1, 2, 4 and 6

(c) 1, 3, 5 and 6

(d) 1, 2, 5 and 6

#### 119. Dielectric constant of Ethanol at room temperature is almost equal to

- (a) 24
- (b) 48
- (c) 54
- (d) 72

Join All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India. Question



# www.gdc4gpat.com

120.	Foai	ming during liquid	d filling can be	e reduced by	following way	s, except	
	(a)	Increase in speed	l of the filling	line (b)	Minimised pr	oduct turbulence	
	(c)	Closed system fill	ing	(d)	Defoaming de	evice	
121.	If th	ne excitation ene	rgy of the re	sonance leve	el is 2.10 eV (	when hc=12,330)	then the wave-lengthof
	resc	onance line of sod	ium atoms is				
	(a)	577.2 nm	(b) 587.2 nr	n (c)	567.2 nm	(d) 597.2 nm	1
122.	Afte	er vascular injury,	platelets enco	unter extra	cellular matrix o	constituents such	as collagen and adhesive
	glyc	oprotein. On cont	act with these	proteins pla	atelets undergo		
	1.	Adhesion					
	2.	Secretion					
	3.	Aggregation					
	4.	Degradation					
	(a)	1, 2 and 3	(b) 1, 2 and 4	4 (c)	1, 2, 3 and 4	(d) 1, 2 and 4	t
123.	A re	porting relationsh	nip in which a	n employee	receives orders	s from, and report	ts to, only one supervisor
	is kı	nown as		1	DAT	Г	
	(a)	Unity of comman	d	(b) Central	isation	<u> </u>	
	(c)	Decentralisation		(d) Line of	authoritySIO	N	
124.	In h	umans end produ	ct of purine c	atabolism is	ENTE	R	
	(a) I	Uric acid	(b) Urea	(c) Pur	ine oxide	(d) Xanthine	
125.	Whi	ch of the followin	g adverse effe	ects is caused	d by thioridazir	ne	
	(a) '	Tardive dyskinesia	a	(b) Constip	ation		
	(c)	Orthostatic hypot	tension	(d) All of the	ne above		
				End o	f paper		
					puper		



www.gdc4gpat.com

**GPAT - 2017** 

#### FOR GUIDANCE

ASK YOUR MORE FRIENDS TO JOIN OUR WHATSAPP CHANNEL



Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com

PRIVIOUS YEAR PAPER

papers are designed by the expert faculties. It may helps you in focusing your Exam preparation.

Join All India Classroom/Online Test Series for GPAT Conducted by GPAT Discussion Center all over India. Question



www.gdc4gpat.com



#### **ANSWER KEY GPAT 2017**

1-d	2-a	3-a	4-a	5-d	6-b	7-a	8-c	9-d	10-a
11-a	12-d	13-a	14-c	15 <b>-</b> a	16-a	17-a	18-a	19-b	20-a
21-b	22-a	23-a	24-a	25-a	26-a	27-a	28-b	29-b	30-a
31-a	32-c	33-a	34-a	35-a	36-b	37-с	38-a	39-с	40-a
41-a	42-d	43-a	44-d	45 <b>-</b> a	46-a	47-b	48-a	49-a	50-b
51-a	52-c	53-a	54-c	55 <b>-</b> a	56-a	57-b	58-b	59-a	60-a
61-a	62-a	63-a	64-a	65 <b>-</b> a	66-d	67-c	68-a	69-c	70-a
71-a	72-c	73-a	74-a	75-c	76-a	77-a	78-a	79-a	80-a
81-a	82-c	83-a	84-a	85-a	86-a	87-с	88-a	89-a	90-b
91-a	92-a	93-с	94 <b>-</b> a	95 <b>-</b> a	96-b	97-a	98-a	99-d	100-a
101-a	102-с	103-a	104-a	105-a	106-d	107-с	108-a	109-a	110-с
111-a	112-a	113-a	114-c	115-a	116-a	117-a	118-a	119-a	120-a
121-b	122-a	123-a	124-a	125-d					



WWW.GDC4GPAT.COM | WWW.GDCONLINETEST.IN

# STAY CONNECTED WITH US AS LOT OF THINGS ARE COMING FOR YOU

ALL THE BEST FOR YOUR SMART PREPARATION

BEST REGARDS FROM

TEAM GDC

Visit - www.gdconlinetest.in | Attempt 1 Free Demo Test

Email: gdcgpat037@gmail.com